



FortiOS - Release Notes

Version 6.0.13

FORTINET DOCUMENT LIBRARY

<https://docs.fortinet.com>

FORTINET VIDEO GUIDE

<https://video.fortinet.com>

FORTINET BLOG

<https://blog.fortinet.com>

CUSTOMER SERVICE & SUPPORT

<https://support.fortinet.com>

FORTINET TRAINING & CERTIFICATION PROGRAM

<https://www.fortinet.com/support-and-training/training.html>

NSE INSTITUTE

<https://training.fortinet.com>

FORTIGUARD CENTER

<https://www.fortiguard.com>

END USER LICENSE AGREEMENT

<https://www.fortinet.com/doc/legal/EULA.pdf>

FEEDBACK

Email: techdoc@fortinet.com



July 27, 2021

FortiOS 6.0.13 Release Notes

01-6013-721499-20210727

TABLE OF CONTENTS

Change Log	5
Introduction	6
Supported models	6
Special branch supported models	6
Special Notices	8
WAN optimization and web caching functions	8
FortiGuard Security Rating Service	8
Using FortiManager as a FortiGuard server	9
Built-in certificate	9
FortiGate and FortiWiFi-92D hardware limitation	9
FG-900D and FG-1000D	10
FortiClient (Mac OS X) SSL VPN requirements	10
FortiClient profile changes	10
Use of dedicated management interfaces (mgmt1 and mgmt2)	10
Using FortiAnalyzer units running older versions	10
L2TP over IPsec on certain mobile devices	11
Changes in CLI	12
Upgrade Information	13
FortiGuard protocol and port number	13
Fortinet Security Fabric upgrade	13
Minimum version of TLS services automatically changed	14
Downgrading to previous firmware versions	14
Amazon AWS enhanced networking compatibility issue	15
FortiGate VM firmware	15
Firmware image checksums	16
FortiGuard update-server-location setting	16
External IP not allowed to be the same as mapped IP	16
Product Integration and Support	17
Language support	19
SSL VPN support	19
SSL VPN standalone client	19
SSL VPN web mode	20
SSL VPN host compatibility list	20
Resolved Issues	22
Firewall	22
SSL VPN	22
System	22
User & Device	23
VM	23
Common Vulnerabilities and Exposures	23

Known Issues	24
Antivirus	24
Firewall	24
GUI	24
Log & Report	24
Proxy	25
System	25
User & Device	25
Limitations	26
Citrix XenServer limitations	26
Open source XenServer limitations	26

Change Log

Date	Change Description
2021-07-27	Initial release.

Introduction

This document provides the following information for FortiOS 6.0.13 build 0443.

For FortiOS documentation, see the [Fortinet Document Library](#).

Supported models

FortiOS 6.0.13 supports the following models.

FortiGate	FG-30D, FG-30D-POE, FG-30E, FG-30E_3G4G_INTL, FG-30E_3G4G_NAM, FG-50E, FG-51E, FG-52E, FG-60D, FG-60D-POE, FG-60E, FG-60E-DSL, FG-60E-DSLJ, FG-60E-POE, FG-61E, FG-70D, FG-70D-POE, FG-80D, FG-80E, FG-80E-POE, FG-81E, FG-81E-POE, FG-90D, FG-90D-POE, FG-90E, FG-92D, FG-94D-POE, FG-98D-POE, FG-100D, FG-100E, FG-100EF, FG-101E, FG-140D, FG-140D-POE, FG-140E, FG-140E-POE, FG-200D, FG-200D-POE, FG-200E, FG-201E, FG-240D, FG-240D-POE, FG-280D-POE, FG-300D, FG-300E, FG-301E, FG-400D, FG-400E, FG-401E, FG-500D, FG-500E, FG-501E, FG-600D, FG-600E, FG-601E, FG-800D, FG-900D, FG-1000D, FG-1200D, FG-1500D, FG-1500DT, FG-2000E, FG-2500E, FG-3000D, FG-3100D, FG-3200D, FG-3400E, FG-3401E, FG3600E, FG-3601E, FG-3700D, FG-3800D, FG-3810D, FG-3815D, FG-3960E, FG-3980E, FG-5001D, FG-5001E, FG-5001E1
FortiWiFi	FWF-30D, FWF-30D-POE, FWF-30E, FWF-30E_3G4G_INTL, FWF-30E_3G4G_NAM, FWF-50E, FWF-50E-2R, FWF-51E, FWF-60D, FWF-60D-POE, FWF-60E, FWF-60E-DSL, FWF-60E-DSLJ, FWF-61E, FWF-90D, FWF-90D-POE, FWF-92D
FortiGate Rugged	FGR-30D, FGR-35D, FGR-60D, FGR-90D
FortiGate VM	FG-SVM, FG-VM64, FG-VM64-ALI, FG-VM64-ALIONDEMAND, FG-VM64-AWS, FG-VM64-AWSONDEMAND, FG-VM64-HV, FG-VM64-KVM, FG-VMX, FG-VM64-XEN, FG-VM64-GCP, FG-VM64-OPC, FG-VM64-GCPONDEMAND
Pay-as-you-go images	FOS-VM64, FOS-VM64-KVM, FOS-VM64-XEN
FortiOS Carrier	FortiOS Carrier 6.0.13 images are delivered upon request and are not available on the customer support firmware download page.

Special branch supported models

The following models are released on a special branch of FortiOS 6.0.13. To confirm that you are running the correct build, run the CLI command `get system status` and check that the `Branch point` field shows 0443.

FG-30E-MG	is released on build 5488.
------------------	----------------------------

FG-40F	is released on build 6893.
FG-40F-3G4G	is released on build 6893.
FG-60F	is released on build 6894.
FG-61F	is released on build 6894.
FG-100F	is released on build 6894.
FG-101F	is released on build 6894.
FG-1100E	is released on build 6892.
FG-1101E	is released on build 6892.
FG-1800F	is released on build 6896.
FG-1801F	is released on build 6896.
FG-2200E	is released on build 6895.
FG-2201E	is released on build 6895.
FG-3300E	is released on build 6895.
FG-3301E	is released on build 6895.
FG-VM64-AZURE	is released on build 5487.
FG-VM64-AZUREONDEMAND	is released on build 5487.
FG-VM64-RAXONDEMAND	is released on build 9422.
FWF-40F	is released on build 6893.
FWF-40F-3G4G	is released on build 6893.
FWF-60F	is released on build 6894.
FWF-61F	is released on build 6894.

Special Notices

- WAN optimization and web caching functions
- FortiGuard Security Rating Service
- Using FortiManager as a FortiGuard server on page 9
- Built-in certificate
- FortiGate and FortiWiFi-92D hardware limitation
- FG-900D and FG-1000D
- FortiClient (Mac OS X) SSL VPN requirements
- FortiClient profile changes
- Use of dedicated management interfaces (mgmt1 and mgmt2)
- L2TP over IPsec on certain mobile devices on page 11

WAN optimization and web caching functions

WAN optimization and web caching functions are removed from 60D and 90D series platforms, starting from 6.0.0 due to their limited disk size. Platforms affected are:

- FGT-60D
- FGT-60D-POE
- FWF-60D
- FWF-60D-POE
- FGT-90D
- FGT-90D-POE
- FWF-90D
- FWF-90D-POE
- FGT-94D-POE

Upon upgrading from 5.6 patches to 6.0.0, `diagnose debug config-error-log read` will show command parse error about `wanopt` and `webcache` settings.

FortiGuard Security Rating Service

Not all FortiGate models can support running the FortiGuard Security Rating Service as a Fabric "root" device. The following FortiGate platforms can run the FortiGuard Security Rating Service when added to an existing Fortinet Security Fabric managed by a supported FortiGate model:

FGR-30D-A	FGT-30D	FGT-70D	FWF-30E-MN
FGR-30D	FGT-30D-POE	FGT-70D-POE	FWF-50E-2R
FGR-35D	FGT-30E	FGT-90D	FWF-50E

FGR-60D	FGT-30E-MI	FGT-90D-POE	FWF-51E
FGR-90D	FGT-30E-MN	FGT-94D-POE	FWF-60D
FGT-200D	FGT-50E	FGT-98D-POE	FWF-60D-POE
FGT-200D-POE	FGT-51E	FWF-30D	FWF-90D
FGT-240D	FGT-52E	FWF-30D-POE	FWF-90D-POE
FGT-240D-POE	FGT-60D	FWF-30E	FWF-92D
FGT-280D-POE	FGT-60D-POE	FWF-30E-MI	

Using FortiManager as a FortiGuard server

If you use FortiManager as a FortiGuard server, and you configure the FortiGate to use a secure connection to FortiManager, you must use HTTPS with port 8888. HTTPS with port 53 is not supported.

Built-in certificate

FortiGate and FortiWiFi D-series and above have a built in Fortinet_Factory certificate that uses a 2048-bit certificate with the 14 DH group.

FortiGate and FortiWiFi-92D hardware limitation

FortiOS 5.4.0 reported an issue with the FG-92D model in the *Special Notices > FG-92D High Availability in Interface Mode* section of the release notes. Those issues, which were related to the use of port 1 through 14, include:

- PPPoE failing, HA failing to form.
- IPv6 packets being dropped.
- FortiSwitch devices failing to be discovered.
- Spanning tree loops may result depending on the network topology.

FG-92D and FWF-92D do not support STP. These issues have been improved in FortiOS 5.4.1, but with some side effects with the introduction of a new command, which is enabled by default:

```
config global
  set hw-switch-ether-filter <enable | disable>
```

When the command is enabled:

- ARP (0x0806), IPv4 (0x0800), and VLAN (0x8100) packets are allowed.
- BPDUs are dropped and therefore no STP loop results.
- PPPoE packets are dropped.
- IPv6 packets are dropped.
- FortiSwitch devices are not discovered.
- HA may fail to form depending the network topology.

When the command is disabled:

- All packet types are allowed, but depending on the network topology, an STP loop may result.

FG-900D and FG-1000D

CAPWAP traffic will not offload if the ingress and egress traffic ports are on different NP6 chips. It will only offload if both ingress and egress ports belong to the same NP6 chip.

FortiClient (Mac OS X) SSL VPN requirements

When using SSL VPN on Mac OS X 10.8, you must enable SSLv3 in FortiOS.

FortiClient profile changes

With introduction of the Fortinet Security Fabric, FortiClient profiles will be updated on FortiGate. FortiClient profiles and FortiGate are now primarily used for Endpoint Compliance, and FortiClient Enterprise Management Server (EMS) is now used for FortiClient deployment and provisioning.

The FortiClient profile on FortiGate is for FortiClient features related to compliance, such as Antivirus, Web Filter, Vulnerability Scan, and Application Firewall. You may set the *Non-Compliance Action* setting to *Block* or *Warn*. FortiClient users can change their features locally to meet the FortiGate compliance criteria. You can also use FortiClient EMS to centrally provision endpoints. The EMS also includes support for additional features, such as VPN tunnels or other advanced options. For more information, see the *FortiOS Handbook – Security Profiles*.

Use of dedicated management interfaces (*mgmt1* and *mgmt2*)

For optimum stability, use management ports (*mgmt1* and *mgmt2*) for management traffic only. Do not use management ports for general user traffic.

Using FortiAnalyzer units running older versions

When using FortiOS 6.0.13 with FortiAnalyzer units running 5.6.5 or lower, or 6.0.0-6.0.2, FortiAnalyzer might report increased bandwidth and session counts if there are sessions that last longer than two minutes.

For accurate bandwidth and session counts, upgrade the FortiAnalyzer unit to the latest version.

L2TP over IPsec on certain mobile devices

Bug ID	Description
459996	Samsung Galaxy Tab A 8 and Android 9.0 crash after L2TP over IPsec is connected.

Changes in CLI

Bug ID	Description
688989	Change <code>username-case-sensitivity</code> option to <code>username-sensitivity</code>. This new option includes both case sensitivity and accent sensitivity. When disabled, both case and accents are ignored when comparing names during matching. <pre>config user local edit <name> set username-sensitivity {enable disable} next end</pre>

Upgrade Information

Supported upgrade path information is available on the [Fortinet Customer Service & Support site](#).

To view supported upgrade path information:

1. Go to <https://support.fortinet.com>.
2. From the *Download* menu, select *Firmware Images*.
3. Check that *Select Product* is *FortiGate*.
4. Click the *Upgrade Path* tab and select the following:
 - *Current Product*
 - *Current FortiOS Version*
 - *Upgrade To FortiOS Version*
5. Click *Go*.

FortiGuard protocol and port number

Fortinet has updated the protocol that is used between the FortiGate unit and FortiGuard. Please read the section under *Resolved Issues > Common Vulnerabilities and Exposures*. Upon upgrading to a patched version of FortiOS, customers must manually change the protocol and port used for connecting to FortiGuard.

```
config system fortiguard
    set protocol https
    set port 8888
end
```

Once the FortiGate is upgraded to a patched version, any factory reset will change the default FortiGuard settings to those above—protocol HTTPS and port 8888.

Fortinet Security Fabric upgrade

FortiOS 6.0.13 greatly increases the interoperability between other Fortinet products. This includes:

- FortiAnalyzer 6.0.11 and later
- FortiClient EMS 6.0.8
- FortiClient 6.0.10
- FortiAP 5.4.4 and later
- FortiSwitch 3.6.9 and later

Upgrade the firmware of each product in the correct order. This maintains network connectivity without the need to use manual steps.



If Security Fabric is enabled, then all FortiGate devices must be upgraded to 6.0.13. When Security Fabric is enabled, you cannot have some FortiGate devices running 6.0.13 and some running 5.6.x.

Minimum version of TLS services automatically changed

For improved security, FortiOS 6.0.13 uses the `ssl-min-protocol-version` option (under `config system global`) to control the minimum SSL protocol version used in communication between FortiGate and third-party SSL and TLS services.

When you upgrade to FortiOS 6.0.13 and later, the default `ssl-min-protocol-version` option is TLS v1.2. The following SSL and TLS services inherit global settings to use TLS v1.2 as the default. You can override these settings.

- Email server (`config system email-server`)
- Certificate (`config vpn certificate setting`)
- FortiSandbox (`config system fortisandbox`)
- FortiGuard (`config log fortiguard setting`)
- FortiAnalyzer (`config log fortianalyzer setting`)
- LDAP server (`config user ldap`)
- POP3 server (`config user pop3`)

Downgrading to previous firmware versions

Downgrading to previous firmware versions results in configuration loss on all models. Only the following settings are retained:

- operation mode
- interface IP/management IP
- static route table
- DNS settings
- VDOM parameters/settings
- admin user account
- session helpers
- system access profiles

If you have long VDOM names, you must shorten the long VDOM names (maximum 11 characters) before downgrading:

1. Back up your configuration.
2. In the backup configuration, replace all long VDOM names with its corresponding short VDOM name.
For example, replace `edit <long_vdom_name>/<short_name>` with `edit <short_name>/<short_name>`.
3. Restore the configuration.
4. Perform the downgrade.

Amazon AWS enhanced networking compatibility issue

With this new enhancement, there is a compatibility issue with older AWS VM versions. After downgrading a 6.0.13 image to an older version, network connectivity is lost. Since AWS does not provide console access, you cannot recover the downgraded image.

When downgrading from 6.0.13 to older versions, running the enhanced nic driver is not allowed. The following AWS instances are affected:

- C3
- C4
- R3
- I2
- M4
- D2

FortiGate VM firmware

Fortinet provides FortiGate VM firmware images for the following virtual environments:

Citrix XenServer and Open Source XenServer

- `.out`: Download the 64-bit firmware image to upgrade your existing FortiGate VM installation.
- `.out.OpenXen.zip`: Download the 64-bit package for a new FortiGate VM installation. This package contains the QCOW2 file for Open Source XenServer.
- `.out.CitrixXen.zip`: Download the 64-bit package for a new FortiGate VM installation. This package contains the Citrix XenServer Virtual Appliance (XVA), Virtual Hard Disk (VHD), and OVF files.

Linux KVM

- `.out`: Download the 64-bit firmware image to upgrade your existing FortiGate VM installation.
- `.out.kvm.zip`: Download the 64-bit package for a new FortiGate VM installation. This package contains QCOW2 that can be used by `qemu`.

Microsoft Hyper-V

- `.out`: Download the 64-bit firmware image to upgrade your existing FortiGate VM installation.
- `.out.hyperv.zip`: Download the 64-bit package for a new FortiGate VM installation. This package contains three folders that can be imported by Hyper-V Manager on Hyper-V 2012. It also contains the file `fortios.vhd` in the Virtual Hard Disks folder that can be manually added to the Hyper-V Manager.

VMware ESX and ESXi

- `.out`: Download either the 64-bit firmware image to upgrade your existing FortiGate VM installation.
- `.ovf.zip`: Download either the 64-bit package for a new FortiGate VM installation. This package contains Open Virtualization Format (OVF) files for VMware and two Virtual Machine Disk Format (VMDK) files used by the OVF file during deployment.

Firmware image checksums

The MD5 checksums for all Fortinet software and firmware releases are available at the Customer Service & Support portal, <https://support.fortinet.com>. After logging in select *Download > Firmware Image Checksums*, enter the image file name including the extension, and select *Get Checksum Code*.

FortiGuard update-server-location setting

The FortiGuard `update-server-location` default setting is different between hardware platforms and VMs. On hardware platforms, the default is `any`. On VMs, the default is `usa`.

On VMs, after upgrading from 5.6.3 or earlier to 5.6.4 or later (including 6.0.0 or later), `update-server-location` is set to `usa`.

If necessary, set `update-server-location` to use the nearest or low-latency FDS servers.

To set FortiGuard `update-server-location`:

```
config system fortiguard
  set update-server-location [usa|any]
end
```

External IP not allowed to be the same as mapped IP

Traffic will be dropped when the IPS is enabled in a policy with a VIP that has the same external and mapped IP.

To avoid this, the kernel will disallow the configuration of the same `extip` and `mappedip` for VIPs in the CLI starting from FortiOS 6.0.0.

Product Integration and Support

The following table lists FortiOS 6.0.13 product integration and support information:

Web Browsers	• Microsoft Edge 88 • Mozilla Firefox version 90 • Google Chrome version 92 Other web browsers may function correctly, but are not supported by Fortinet.
Explicit Web Proxy Browser	• Microsoft Edge 41 • Microsoft Internet Explorer version 11 • Mozilla Firefox version 59 • Google Chrome version 65 • Apple Safari version 9.1 (For Mac OS X) Other web browsers may function correctly, but are not supported by Fortinet.
FortiManager	See important compatibility information in Fortinet Security Fabric upgrade on page 13 . For the latest information, see FortiManager compatibility with FortiOS in the Fortinet Document Library. Upgrade FortiManager before upgrading FortiGate.
FortiAnalyzer	See important compatibility information in Fortinet Security Fabric upgrade on page 13 . For the latest information, see FortiAnalyzer compatibility with FortiOS in the Fortinet Document Library. Upgrade FortiAnalyzer before upgrading FortiGate.
FortiClient: • Microsoft Windows • Mac OS X • Linux	• 6.0.0 See important compatibility information in Fortinet Security Fabric upgrade on page 13 . If you're upgrading both FortiOS and FortiClient from 5.6 to 6.0, upgrade FortiClient first to avoid compatibility issues. FortiClient for Linux is supported on Ubuntu 16.04 and later, Red Hat 7.4 and later, and CentOS 7.4 and later. If you are using FortiClient only for IPsec VPN or SSL VPN, FortiClient version 5.6.0 and later are supported.
FortiClient iOS	• 5.6.0 and later
FortiClient Android and FortiClient VPN Android	• 5.4.2 and later
FortiAP	• 5.4.2 and later • 5.6.0 and later
FortiAP-S	• 5.4.3 and later

	• 5.6.0 and later
FortiSwitch OS (FortiLink support)	• 3.6.9 and later
FortiController	• 5.2.5 and later Supported models: FCTL-5103B, FCTL-5903C, FCTL-5913C
FortiSandbox	• 2.3.3 and later
Fortinet Single Sign-On (FSSO)	• 5.0 build 0301 and later (needed for FSSO agent support OU in group filters) • Windows Server 2019 Datacenter • Windows Server 2019 Standard • Windows Server 2019 Core • Windows Server 2016 Datacenter • Windows Server 2016 Standard • Windows Server 2016 Core • Windows Server 2012 Standard • Windows Server 2012 R2 Standard • Windows Server 2012 Core • Windows Server 2008 (32-bit and 64-bit) • Windows Server 2008 R2 64-bit • Windows Server 2008 Core • Novell eDirectory 8.8
FortiExtender	• 3.3.2, 4.0.0
AV Engine	• 6.00033
IPS Engine	• 4.00076
Virtualization Environments	
Citrix	• XenServer version 5.6 Service Pack 2 • XenServer version 6.0 and later
Linux KVM	• RHEL 7.1/Ubuntu 12.04 and later • CentOS 6.4 (QEMU 0.12.1) and later
Microsoft	• Hyper-V Server 2008 R2, 2012, 2012 R2, and 2016
Open Source	• XenServer version 3.4.3 • XenServer version 4.1 and later
VMware	• ESX versions 4.0 and 4.1 • ESXi versions 4.0, 4.1, 5.0, 5.1, 5.5, 6.0, 6.5, and 6.7

Language support

The following table lists language support information.

Language support

Language	GUI
English	✓
Chinese (Simplified)	✓
Chinese (Traditional)	✓
French	✓
Japanese	✓
Korean	✓
Portuguese (Brazil)	✓
Spanish	✓

SSL VPN support

SSL VPN standalone client

The following table lists SSL VPN tunnel client standalone installer for the following operating systems.

Operating system and installers

Operating System	Installer
Linux CentOS 6.5 / 7 (32-bit & 64-bit)	2336. Download from the Fortinet Developer Network: https://fndn.fortinet.net .
Linux Ubuntu 16.04 (32-bit & 64-bit)	

Other operating systems may function correctly, but are not supported by Fortinet.



SSL VPN standalone client no longer supports the following operating systems:

- Microsoft Windows 7 (32-bit & 64-bit)
- Microsoft Windows 8 / 8.1 (32-bit & 64-bit)
- Microsoft Windows 10 (64-bit)
- Virtual Desktop for Microsoft Windows 7 SP1 (32-bit)

SSL VPN web mode

The following table lists the operating systems and web browsers supported by SSL VPN web mode.

Supported operating systems and web browsers

Operating System	Web Browser
Microsoft Windows 7 SP1 (32-bit & 64-bit)	Mozilla Firefox version 90 Google Chrome version 92
Microsoft Windows 10 (64-bit)	Microsoft Edge Mozilla Firefox version 90 Google Chrome version 92
Ubuntu 20.04 (64-bit)	Mozilla Firefox version 90 Google Chrome version 92
MacOS Big Sur 11.4	Apple Safari version 14 Mozilla Firefox version 90 Google Chrome version 92
iOS	Apple Safari Mozilla Firefox Google Chrome
Android	Mozilla Firefox Google Chrome

Other operating systems and web browsers may function correctly, but are not supported by Fortinet.

SSL VPN host compatibility list

The following table lists the antivirus and firewall client software packages that are supported.

Supported Microsoft Windows XP antivirus and firewall software

Product	Antivirus	Firewall
Symantec Endpoint Protection 11	✓	✓
Kaspersky Antivirus 2009	✓	
McAfee Security Center 8.1	✓	✓
Trend Micro Internet Security Pro	✓	✓
F-Secure Internet Security 2009	✓	✓

Supported Microsoft Windows 7 32-bit antivirus and firewall software

Product	Antivirus	Firewall
CA Internet Security Suite Plus Software	✓	✓
AVG Internet Security 2011		
F-Secure Internet Security 2011	✓	✓
Kaspersky Internet Security 2011	✓	✓
McAfee Internet Security 2011	✓	✓
Norton 360™ Version 4.0	✓	✓
Norton™ Internet Security 2011	✓	✓
Panda Internet Security 2011	✓	✓
Sophos Security Suite	✓	✓
Trend Micro Titanium Internet Security	✓	✓
ZoneAlarm Security Suite	✓	✓
Symantec Endpoint Protection Small Business Edition 12.0	✓	✓

Resolved Issues

The following issues have been fixed in version 6.0.13. For inquiries about a particular bug, please contact [Customer Service & Support](#).

Firewall

Bug ID	Description
539530	Session spike after changing firewall settings.
644225	Challenge ACK is being dropped.

SSL VPN

Bug ID	Description
610995	SSL VPN web mode gets error when accessing internal website at <code>https://st***.st***.ca/</code> .
616879	Traffic cannot pass through FortiGate in SSL VPN web mode if the user is a PKI peer.
662042	The <code>https://outlook.office365.com</code> and <code>https://login.microsoft.com</code> websites cannot be accessed in the SSL VPN web portal.
673017	The traffic for a PKI user cannot pass through SSL VPN.
681413	<i>SSL VPN Proxy Error</i> seen while accessing the bookmark in SSL VPN web mode using client certificate and realm.

System

Bug ID	Description
680881	Rebooting device causes interface mode to change from static to DHCP.
692943	If an updated FFDB package is found, crash may happen at <code>init_ffdb_map</code> if it is called when <code>ffdb_map</code> or <code>ffdb_app</code> is already in the process of being parsed, especially in HA.

User & Device

Bug ID	Description
615513	An <code>scep-url</code> greater than 64 characters is not saved.
688989	Two-factor authentication can be bypassed with some configurations.

VM

Bug ID	Description
592611	HA not fully failing over when using OCl.

Common Vulnerabilities and Exposures

Visit <https://fortiguard.com/psirt> for more information.

Bug ID	CVE references
539962	FortiOS 6.0.13 is no longer vulnerable to the following CVE Reference: • CVE-2019-5591

Known Issues

The following issues have been identified in version 6.0.13. For inquiries about a particular bug or to report a bug, please contact [Customer Service & Support](#).

Antivirus

Bug ID	Description
590092	Cannot clear <code>scanunit vdom-stats</code> to reset the statistics on ATP widget.

Firewall

Bug ID	Description
508015	Editing a policy in the GUI changes the FSSO setting to disable.
591731	Cannot reorder shaping policy via GUI or CLI (FG-100F).

GUI

Bug ID	Description
682440	On <i>Firewall Policy</i> list, the tooltip for <i>IP Pool</i> shows <i>Port Block Allocation</i> as being exhausted if there are expiring PBAs available to be reallocated.
697290	In Firefox, the GUI cannot load the IPS signature list page if the user clicks <i>View IPS Signatures</i> before the IPS profile page finishes loading. Other browsers do not have this issue.

Log & Report

Bug ID	Description
592766	Log device defaults to empty and cannot be switched on in the GUI after enabling FortiAnalyzer Cloud.

Proxy

Bug ID	Description
584719	WAD reads <code>ftp over-limit multi-line</code> response incorrectly.

System

Bug ID	Description
607565	Interface <code>emac-vlan</code> feature does not work on SoC4 platform.
657629	ARM-based platforms do not have sensor readings included in SNMP MIBs.
671982	DoS policy is causing traffic to drop.
695803	Unable to reorder firewall DoS policy in GUI or CLI.
735306	Enabling <code>ssl-mirror-intf</code> on a management port in a firewall policy with flow mode IPS or application control profiles will cause all traffic to be blocked and the FortiGate to go into kernel panic and automatically reboot. Workaround: do not use a management port as an SSL mirror interface.

User & Device

Bug ID	Description
567831	Local FSSO poller is regularly missing logon events.
697304	The <code>scep-url</code> option is truncated to 64 characters, despite the maximum length being 255 characters.
701356	When a GUI administrator certificate, <code>admin-server-cert</code> , is provisioned via SCEP, the FortiGate does not automatically offer the newly updated certificate to HTTPS clients. FortiOS 7.0.0 and later does not have this issue. Workaround: manually unset <code>admin-server-cert</code> and set it back to the same certificate. <pre>config system global unset admin-server-cert end config system global set admin-server-cert <scep_certificate> end</pre>

Limitations

Citrix XenServer limitations

The following limitations apply to Citrix XenServer installations:


- XenTools installation is not supported.
- FortiGate-VM can be imported or deployed in only the following three formats:
 - XVA (recommended)
 - VHD
 - OVF
- The XVA format comes pre-configured with default configurations for VM name, virtual CPU, memory, and virtual NIC. Other formats will require manual configuration before the first power on process.

Open source XenServer limitations

When using Linux Ubuntu version 11.10, XenServer version 4.1.0, and libvir version 0.9.2, importing issues may arise when using the QCOW2 format and existing HDA issues.



FORTINET®



Copyright© 2021 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, FortiCare® and FortiGuard®, and certain other marks are registered trademarks of Fortinet, Inc., in the U.S. and other jurisdictions, and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinet's General Counsel, with a purchaser that expressly warrants that the identified product will perform according to certain expressly-identified performance metrics and, in such event, only the specific performance metrics expressly identified in such binding written contract shall be binding on Fortinet. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests. In no event does Fortinet make any commitment related to future deliverables, features or development, and circumstances may change such that any forward-looking statements herein are not accurate. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.